1 WA/HMM/am/Sal/21/496

NATURAL HISTORY COLLECTIONS

of the late SIR VAUNCEY HARPUR CREWE, Bart.

10th/161.1925

Tuesday, November 10th, 1925.


FIRST PORTION OF THE COLLECTION

of

Varieties and Rarities of BRITISH BIRDS and MAMMALS.

STEVENS'S AUCTION ROOMS LTD.,
38 King Street,
Covent Garden, W.C.2.





Date /0/11/25

Lot Amount				Lot		Amount	
201	£	s.	d.	711	£	S.	d.
37/2 13/3 15/28/ 14/	3 / 3 2 2 / /	13/2 8 5 . 5 10/0 2		249/50 249/50 270 273 280 293 302 320 346	47,	19014.148.51818.	6
57	2	Alle !	<i>P</i>	357	1	2	*
12	3	10		360	La flipping management	10	The same of the sa
156	There.	16		The state of the s	6.4	8	6
173 173 213/4 213/6 222 231 232/3	2 2	5-12-10-5-16	6				
6/3	4. 47	14.	6				

A CATALOGUE

OF THE

FIRST PORTION

OF THE

UNIQUE COLLECTION OF

BRITISH BIRDS

formed by the late Sir VAUNCEY HARPUR CREWE, Bart.

This vast Collection of Varieties of British Birds, and examples of all the rarer species, has been collected by Sir Harpur Vauncey Crewe and other sportsmen and naturalists throughout Britain, and acquired privately and from the sales of all the most important collections disposed of during the last fifty years.

The many historic rarities include Black Stork, Flamingo, Glossy Ibis, Andalusian Hemipode, and others. Also such varieties as Wilson's Phalarope, American Purple Martin, and all the rarer species of all families.

Unique and remarkable varieties of nearly all the British species, Albinos, Melanic, Pied, and all other phases of variation are represented in great numbers, also a large number of Hybrids, chiefly of Game Birds.

The Collection contains varieties of

BRITISH MAMMALS,

comprising many Albinos, Pied and other forms.

Which will be Sold at

STEVENS'S AUCTION ROOMS LTD.

At their Great Rooms,

38 King Street, Covent Garden, and 15/16 Floral Street. London, W.C.2,

On TUESDAY, NOVEMBER 10th, 1925,

at 1 o'clock precisely.

On view day prior and morning of sale till 11.30. Catalogues on application to the Auctioneers.

Telephone: Gerrard 1824. Telegrams: "Auks, Rand, London." Established 1760.

RIDDLE, SMITH & DUFFUS, Printers, Windsor House, 83 Kingsway, W.C.2; and Forest Hill, S.E. 26

CONDITIONS OF SALE.

FIRST.—The highest bidder to be the buyer, and if any dispute arise between two or more bidders the lot so disputed shall be immediately put up again and re-sold. The auctioneer reserves to himself the right to refuse any bid, also to make any alteration in the catalogue.

SECOND.—No person to advance less than one shilling; above £2, two shillings and sixpence; and so on in proportion.

THIRD.—The purchasers are to give in their names and places of abode, and, if required, to pay down a deposit of five shillings in the pound in part payment of the purchase-money, in default of which the lot or lots so purchased to be put up again and re-sold at any convenient opportunity during the sale or otherwise.

FOURTH.—The lots are to be taken away and paid for, with all faults and errors of description, at the buyer's expense and risk, on the day immediately following sale. The auctioneer not being responsible for the correct description, genuineness or authenticity of, or any fault or defect in any lot, and making no warranty whatever.

LASTLY.—Upon failure of complying with the above conditions, the money deposited in part payment shall be forfeited to the vendors, the lots remaining uncleared shall be re-sold by public or private sale, and the deficiency (if any) attending such re-sale, together with all incidental expenses and charges, shall be made good by the defaulters at this sale.

NO LOTS WILL BE TRANSFERRED.

The Clerk of the Sale has authority to refuse Cheques.

A CHARGE FOR WAREHOUSING WILL BE MADE ON LOTS NOT CLEARED PROMPTLY.

Telephone :-GERRARD 1824.

Telegrams:—
Auks, Rand, London.

CATALOGUE.

On TUESDAY, NOVEMBER 10th, 1925, At 1 o'clock precisely.

ON VIEW:

Monday, 9.30 a.m. to 5.30 p.m. Tuesday, 9.30 a.m. to 11.30 a.m.

		MAMMALS.
	Lot	
	I	Mole \mathcal{L} , var. silver-grey, Calke Abbey, 4.11.1907; ditto,
		var. speckled, Staffordshire 2
13/1-1	5,2	Mole ♀, var. albino, Calke Abbey; ditto, speckled, Calke
-		Abbey 2
121	5.3	Mole φ , var. silver-grey, Calke; ditto, var. cream, head
	and the second second	apricot, Calke
	4	Stoat \mathcal{L} , changing to winter dress, Calke, 2.2.1910; ditto \mathcal{L} , changing to winter dress; Weasel \mathcal{L} , Calke
	5	Stoat \mathcal{L} , changing to winter, mostly white, Calke, 21.1.
		1915; ditto 3, changing to winter, Calke; ditto 3, normal, fine specimen
	6	Stoat 3, changing to winter, almost complete, Calke,
		24.12.1910; ditto \(\text{, changing to winter, Calke, 2.1.1914} \)
10/1	A	2
100	(7)	Stoat 3, albino (tail completely white), from Mountney,
		late J. Cording, naturalist, Cardiff, very rare
	8	Stoat 3, winter, only top of head brown, 1.2.1905;
		ditto \mathcal{L} , changing to winter, 15.2.1901

	9	Stoat 3, fine var. crown and nape white, rest of upper
		parts admixture white and brown, 30.12.1895, Calke 1
	10	
	II	ditto \mathcal{P} , changing to winter, mostly white, 5.2.1909 2 Stoat \mathcal{P} , changing to winter, admixture brown and white,
	11	Calke Abbey, 11.12.1886; ditto, change almost com-
(201)		plete, only head and nape brown 2
(28/)	5 1 (12	Case containing three Weasels, including one albino,
		one pale cream upper parts, one normal
(65F)	6. [13	Hedgehog, fine albino, in glass shade, Midhurst, Sussex, 8.2.1912
	85 -14	Long-eared Bat, albino, very rare, Tunbridge Wells, Sept. 7, 1909, in case
(11)	\$ (15	A STATE OF THE STA
(40)	16	
1	7. 17	
(131)	18	
4	19	The state of the s
	20	
	21	
		legs white, set up
	22	Rabbit, var. almost melanic, Staffs.
	23	D 11' 4 11' 1' III 1 C' 00
	24	Rabbit &, var. grey (head repaired), Warslow, Staffs,
		15.10.1912; ditto, white, slightly pied, Calke, 11.11.
		1911
	25	Rabbit &, silver-grey var., Warslow, 7.10.1912; ditto, pied var., Calke, 27.11.1909
	26	
		Calke, 30.1.1913; ditto, pale cinnamon var., Calke,
	2=	19.10.1909 2
	27	Marten, fine mounted specimen, Feb. 2, 1916; Mountain Hare 3, slightly pied, 5.11.1896
(301)	. 28	Noctule Bat, cream-coloured var., very rare, set up in case, Norwich, 17.8.1879
	29	Azurine (fish), Norfolk, June 1881; and 4-spined Stickle-
		back, April 1881, Norwich, in case; Hybrid Rudd and
		Bream, first specimen taken in England, Small Broad,
	-	Netishead, Norfolk, weight 16oz., 5.9.1910 2

BIRDS.

30	Rook \mathcal{P} , var. head and body dusky-brown, finely speckled with buff, wings barred buff, rare, Calke Abbey, 24.5.1887	16/-
31	Rook \mathcal{D} , var. back blotched with white, outer tail feathers white, small specimen, Norwich, Dec. 1877; ditto,	M.
	white var., side of head and tips of wings black, left wing and tail damaged	
32	Rook 3, var. upper parts, wings and tail brown, belly grey; ditto, pale grey mottled and barred with brown 2	8/2
33	Rook, var. handsome, symmetrically pied, Calke Abbey, May 16, 1885	25 Jansen
(34)	Rook, var. white, Calke Abbey, 28.6.1886; ditto, var. albino	
35	Rook, var. cream-coloured, Acle, Norfolk, Aug. 1874; ditto, var. pale drab and silver-grey, back finely barred, shot at Hocken	16 mehro
36	Rook, var. ashy-grey, back and underparts barred with blackish, head and upper-breast normal, handsome adult bird, rare; ditto, var. young, heavily mottled and barred with grey and black, March 26, 1903 2	8/- de
37	Rook, var. head and body dusky, wings and tail silver- grey mottled and barred; ditto, var. cinnamon-brown	9/-
38	Rook, var. pied, young bird; ditto, var. young, head brown, otherwise cream coloured mottled with brown and black, underparts whitish, handsome and rare var.	29- Mick
39	Rook, var. brown, wings and tail whitish-buff, rare; ditto, var. young, pied 2	16/-
40	Rook, var. 3 adult, Dec. 23, 1886, Calke Abbey, pied var.; ditto, young pied var.; ditto, \$\varphi\$ adult var., back and underparts mottled grey and black, wings and tail grey barred with faint brown, Calke Abbey, Dec. 16,	9/-
41)	Rook, young ♀ var., grey, wings and tail tinged with buff, Calke Abbey, 22.5.1915; ditto, pied var.; Raven,	
42	one leg damaged, no data Carrion Crow, white var. tinged with pearl-grey, very	5/13/1
The second second	indistinctly barred, rare, Dec. 11, 1917; ditto, similar var., tail and wings frayed	damel

	43	Hooded Crow, var. back mottled with black; Jackdaw 3, pied var., handsomely marked, wings and tail normal,	22/2
1.1	1	27.11.1907	7000
(LD-) 90/2	(44)	Jackdaw 3, white var., primaries tipped with black, grey	
		band on crown, Calke, 16.10.1917; ditto, var. brown	
	staville,	blotched wings, Calke, 6.5.1898	
	45	Jackdaw &, var. grey, mottled and barred with darker	
		bronze-grey, wings and tail pale ash-grey barred, rare, Calke Abbey, June 26, 1886; ditto, var. wings slightly	il lan
		pied 20, 1000, ditto, var. wings singitty	
	46	Jackdaw, var. bronze-grey wing feathers, margined with	11
	7000/	cream colour; ditto \(\var. \) brown blotched wings, tail	10/- 1
		frayed, 6.6.1893	1
	47	Jackdaw, var. bronze-grey (wings and tail light), barred	1
		and mottled with brown and black; ditto \(\sigma\), var.	0/-
	0	slightly blotched with white	tin
	48	Jackdaw \(\varphi\), var. pale drab, very faintly mottled, very	12/3/
	10	rare, Calke Abbey, 16.7.1904	4/-
	49 50	Jackdaw, var. rich bronze-brown Jackdaw, var. head and nasal bristles mottled with white;	160
	30	ditto, var. buffish-white, head repaired 2	6/-
(11) 4.7	51	Jay, var. four primaries white in right wing, white on nape	
(10) 10/		the last where it seems think him them not placed it.	
	52	Jay, var. wing coverts mostly without black bars and	201-
		blue very pale, adult 3, Norwich, 7.1.1887	
	53	Magpie, var. head, breast and body grey, wings and tail	
		pale ash-grey, slightly barred with dark grey, very rare	and I
(2/10) 6.	51-	Magpie, albino var., rare, July 27, 1906, Heathfield,	
A Symme	54)	Sussex	
	55	Magpie, var. white, back mottled, primaries tipped with	1 1
	boly o	black, base of secondaries and coverts streaked with	2/10/-
		green-black; tail white, ends of central feathers mar-	
		gined and tipped with green-black, rare, handsome var.	
	=6	Mannia and add aird hind O	111
	56	Magpie, var. splendid pied bird ?	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	57 58	Nutcracker, no data; but undoubtedly British Ditto, ditto	16/-
	59	Ditto, Norfolk, Nov. 11, 1911	
	60	Ditto, March 1917	
	61	Ditto, ditto	
	62	Roller shot at Shoattle, November 1916	

63	Pallas's Sand-Grouse & Q, June 19, 1888 (British)
64	Ditto pair
65	Capercailzie \mathcal{D} , \mathcal{D} assuming \mathcal{D} plumage
66	Ditto, $Q Q$
67	Capercailzie and grey-hen hybrid
68	Black Grouse 3, changing plumage, Feb. 6, 1896, Staffs.
69	Grey-Hen assuming 3 plumage, shot at Warslow, Staffs., 6.2.1896, fine plumaged example, head, neck and tail almost complete 3
70	Ditto, almost a similar specimen, no data
71	Hybrid Turkey and Black Grouse, no data
72	Hybrid Game Cock and Guinea Fowl, Darsham, Suffolk, July 6, 1886
73	Grey-Hen assuming 3 plumage (similar to lot 69), shot at Warslow, 1895
74	Ditto, 22.10.1898
75	Hybrid Black Grouse and Capercailzie, 1.10.1896
76	Grey-Hen and Ptarmigan hybrid, wings, throat and underparts white, back grey barred with black, head and neck speckled chestnut and black
77	Red Grouse, dusky-grey var., almost black, marking cream coloured
78	Pheasant &, vr. (Bohemian Pheasant so called), buffi var., large handsome bird, 27.1.99
79	Ditto, similar to lot 78
80	Ditto \mathcal{D} , assuming \mathcal{J} plumage, head and neck almost complete \mathcal{J} , 23.12.1908, handsome bird
81	Ditto J. var. "Bohemian"
82	Ditto \mathcal{L} , assuming \mathcal{L} plumage, 1896, similar to lot 80
83	Ditto, ditto, paler in colour
84	Ditto ♂, just starting change to ♀ plumage, Calke Abbey, 28.12.89; ditto ♂, var. markings on breast and flanks reduced, Calke Abbey, 5.2.1890
85	Ditto &, var. "Bohemian," Calke Abbey, 16.11.1889
86	Ditto 3, var. upper parts, including tail, nearly all white, breast pale buff speckled with black, "Bohemian" var., 31.12.1902, Melton Constable, Norfolk
87	Ditto \mathcal{P} , var. wholly cream and very pale buff, all markings very faintly indicated, Swanton, Norfolk, 3.11.97

88	upper parts white, ring on neck tinged with bronze, breast golden, flank markings silver and bronze, 25.11.92, Melton Constable, Norfolk
89	Ditto, of var. pure white all over, except head and neck
09	of normal colour, and one inner secondary with small
	chestnut streak, bill and legs white, a strikingly hand-
	some bird, no data
90	Ditto hybrid, Reeves and Common, head and neck bronze-
90	purple, white and chestnut, entire body deep purple-
	copper, tail also purplish with central markings light
	ochreous and black, a remarkable bird, Norwich, Feb. 6,
	1888
91	Ditto 9, "Bohemian" var., Calke 30.10.1889; ditto 3,
9-	cross between Japanese and Chinese 2
92	'Hybrid &, Golden and Common Pheasant
93	Golden Pheasant 3, changing to 2
94	Hybrid Q, Golden Pheasant and Bantam, Calke Abbey,
	17.1.1900; and golden 3, parent of hybrid 2
95	Ditto 3, Pheasant and Fowl
96	Ditto 3, ditto, white slightly mottled with chestnut,
	Earlham, Norwich, 1840
97	Ditto 3, Pheasant and Fowl, head, neck and tail white,
0	body chestnut with white mottlings
98	Ditto &, Common and Silver Pheasant, upper parts and
	tail black and white vermiculations, under parts deep
, _	copper, head and neck bronze-black
99	Ditto Q, Pheasant and Black-breasted Game, Burlingham,
T00	nr. Norwich, 1852
100	Red Grouse 3, var. right primaries and coverts white,
	2.9.13; ditto \bigcirc , var. throat and spot in centre of breast white, 25.8.1900
IOI	Red Grouse 3, var. first two right primaries white,
101	17.9.87; ditto 3, fine specimen, Warslow, 26.9.1904 2
I02	Red Grouse \mathcal{D} , var. upper parts black with light cream
	markings, 28.9.1912; ditto \(\parphi\), richly coloured, 1899,
	Warslow
103	Red Grouse &, var. pied, under parts white, wings speckled
	and barred with white, Warslow, 16.9.98
104	Red Grouse ♀, var. greyish-white all over, markings very
	faintly indicated, no data; ditto \(\varphi\), var. three outer
	primaries white, 3.8.02, Warslow

105	Red Grouse $ $
106	Red Grouse \mathcal{P} , var. outer half of primaries each wing white, 9.12.14, Warslow, Staffs.; ditto \mathcal{F} , var. slightly speckled with white
107	Red Grouse \mathcal{L} , var. under parts spotted with white; ditto \mathcal{L} , var. richly coloured, 26.9.1904
108	Red Grouse 3, var. speckled white, 23.11.1906, Warslow; ditto normal 2
109	Red Grouse 3, under parts uniformly chestnut, 9.10.1899; ditto \mathcal{D} , richly marked, 3.8.1902
IIO	Red Grouse 3, dark breasted, 1899, Warslow; ditto \mathcal{D} , 8.9.1902
III	Red Grouse \mathcal{Q} , var. small specimen, dusky wings, primaries margined with white, lower parts blotched with white, Warslow, 14.9.1904; Ptarmigan, two specimens
112	Partridge, var. montana 3, Norfolk, Oct. 1911
113	Partridge 3, var. upper parts silver-grey, Dublin, 16.1.1911
114	Partridge 3, var. primaries white, Nov. 8, 1901, Staffs.; ditto 3, var. breast blotched with chestnut, horseshoe large tail variegated, 11.10.1904
115	Partridge 3, var. handsomely pied, head and neck mostly white, Norfolk, 15.11.1892
116	Partridge \mathcal{Q} , var. primaries white, Calke, 30.10.1913; ditto \mathcal{J} , var. upper parts grey, head pale buff, 10.1.1918, Calke
117	Partridge \mathcal{P} , var. mottled with white, 2.10.1901; ditto \mathcal{F} , var. upper parts pale, Calke, 10.11.1909
118	Partridge \mathcal{P} , \mathcal{P} , vars. mostly white, from White, Cheltenham, 1899, badly set up, otherwise perfect
119	Ditto, var. Montana, white blotched var., Sept. 22, 1906 I 20/-
120	Ditto, var. 3, very pale, flanks and tail markings cream coloured, no data
121	Ditto \mathcal{D} , var. grey, all usual chestnut markings replaced with pinkish-buff, Calke, 18.10.1889
122	Ditto \mathcal{D} , var. pale cinnamon, rare, Calke, 4.2.1914 I

123	Red-legged Partridge \mathcal{P} , var. very rare form, head black,	
	upper parts blotched and variegated, flank feathers	<i>y</i>
	duplicated on the back, near Winchcombe, Gloucestershire, 1899	f. The state of th
124	Ditto, var. breast white, no date; Quail 3, 24.5.1893,	2//
144	Staffs. 2	457
125	Moorhen, var. hairy form, upper parts dark grey and buff,	22/2001
	under parts ashy-white	261-1-4
126	Ditto, similar var., 3.12.1898	73.7 d
127	Ditto, ditto	H151-00
128	Ditto \mathcal{D} , pied var., back, tail and breast heavily blotched	9 . 1 Mish
	with white, 1898, Staffs.	more in the second
129	Ditto, var. upper parts pale tawny and silver-grey, nape	7 r dans
T20	and under parts silver-grey Ditto war pied River Rure S Walsham Norfells	The state of the s
130	Ditto, var. pied, River Bure, S. Walsham, Norfolk, 25.11.1916, nape, breast and mantle white, rest blotched.	
	white	
131	Ditto \(\sigma\), var. pale brownish-buff, wings cream, under parts	187 Just
, -3-	buffish-grey, Bexhill, Sussex, 30.9.1904	
132	Landrail ♀, long-hooked bill, Norwich, 12.9.1887	5 fathers
133	Coot, var. 3, pied, lower parts blotched with white, 2-3	
	primaries left wing white, Calke, Dec. 2, 1911	I E - MICH
134	Coot, var. handsomely pied, head and back white, rest	6126
	uniformly mottled, primaries and secondaries black I	
135	Partridge 3, var. tail cream coloured, each feather with	11-
	the shaft, margins and tip chestnut, no data; ditto normal 3, Calke, 29.10.1886	1/
136	Partridge 3, var. cream-coloured tail, similar to lot 135,	110%
130	but less chestnut colouring; ditto \mathcal{L} , normal, 7.10.1885,	of- Tuno
	Calke, horseshoe small blotch one side only 2	
137	Partridge Q, var. upper parts rich chestnut, Staffs.,	12/-16
	6.10.1896; ditto 3, var. pale wings, Staffs., 5.11.1903 2	19
138	Red Grouse &, var. all markings light cream, neck whitish,	7
	Staffs., 21.8.1896; ditto 3, malformed bill 2	michol
139	Red Grouse ♂, var. primaries of left wing white; ditto ♀,	and had
	var. all markings white, 24.8.1896	/acros
140	Red Grouse &, var. chin and belly blotched with white;	100
	ditto \mathcal{D} , var. buff and cream; ditto \mathcal{D} , var. under parts	6
	mottled with white	17 0
141	Red Grouse pair 3, uniformly dark; \$ 26.8.1907 2	57- Gum
142	Black Grouse \mathcal{D} , assuming \mathcal{D} plumage	Colombians

143	Pheasant 6, torquatus, Carke, 1.2.1913; ditto 6, chieny	
T 4 4	mongolicus, 6.11.1913 2	
144	Blackbird &, pied var., Calke Abbey, 11.1.1916; ditto &,	
THE	mottled buff var., Calke, 1906 2 Blackbird 3, pied var., Calke Abbey, 1900; ditto 3, var.	
145	buffish-grey, Calke, 12.2.1895	
146	Blackbird 3, var. pied on head and neck, Calke Abbey,	
140	17.2.1900; ditto 3, var. pied, Calke Park, 19.1.1905 2	
147	Blackbird φ , var. pied (bill damaged), Rye Harbour,	
14/	22.2.1905; ditto 3, var. pied, Calke, 11.1.1916; ditto 3,	
	var. pied, Calke Abbey, 15.12.1905	
148	Blackbird \(\rangle \), pied var. on head and nape, Calke, 27.12.1907;	
1	ditto 3, pied var., Calke, 8.6.1894; ditto 3, var. pied	9
	nape and tail, Calke, 1.11.1909	
149	Blackbird \mathcal{L} , var. pied back and tail, 31.12.1912, Calke;	
	ditto 3, var. pied head and rump, 22.1.1903, Calke; /3/-	
	ditto 3, var. pied mantle, scapulars and breast, 13.1.1912	
	3	
150	Blackbird 3, var. pied, mostly white, Brickford; ditto \mathcal{P} , \mathcal{P}	2
	var., 29.5.1894, Calke	
151	Blackbird \mathcal{D} , var. pied, legs and bill yellow; ditto \mathcal{D} ,	
TFO	young, var. pied, Calke, 7.8.1903	4
152	Blackbird 3, var. pied; ditto φ , var. very dark with white head	es.er
153	Blackbird \(\var\), var. upper parts ashy-grey mottled with ashy-	
233	brown, tail grey with central dark band, under parts	
	white spotted brown, very rare form, Tunbridge	
	Wells, June 1910	
154	Blackbird, albino var.	
155	Blackbird 3, pied var., neck completely white, Staffs.,	
1	27.6.01; ditto \mathcal{L} , slightly pied var.	
156	Blackbird 3, pied; ditto, albino var.	
157	Blackbird 3, pied var., white on nape and wings, Calke	
	Abbey, 1905; ditto \mathcal{L} , pied, remarkable tortoiseshell	
	coloured var., breast chestnut spotted with dark brown and blotched with white	
TES	Blackbird &, pied var., ash-grey mottled and barred with	
158	dark grey and black, very rare; ditto 3, var. pied on	
ŧ	head 2	
159	Blackbird 3, albino, cream and white, leg damaged,	
	"Aug. 15, 1888, Saunders" on label; ditto 3, pied on	
	head and neck 2	

	160	Blackbird 3, pied var.; Ring Ouzel 3 and 2, with outer	16/1
	161	primaries left wing white Song Thrush 3, var. pale cinnamon, 28.8.1920	14-
(105)=1	(162)	Ditto, albino var., entirely pure white	
Marin /	163	Ditto, albino var. (labelled Blackbird), Calke Abbey,	1151
	103	20.5.1890 I	Lacke !
	164	Wheatear 3, 3, \(\begin{aligned} \text{Ashbourne, April 1889, and 3, no data;} \end{aligned}	1
	- ∨ - 7	ditto \mathcal{L} , pale var., Eastbourne beach, 28.8.1912 5	11 25 200
	165	Wheatear 3, var. cinnamon with white wings and tail	380
	166	Wheatear 3, var. white head	757
	167	Wheatear 3, var. secondaries and coverts edged with	4
	20/	buff; ditto, normal	0,
	168	Wheatear 3, var. entirely pure white, 19.4.21, Sussex 1,	2/157-
	169	Wheatear 3, var. pied on head and mantle, Brighton,	7011 Yuli
		. 27.9.02; ditto \mathcal{L} , \mathcal{L} , May 10, St. Leonards	8/-1 1000
	170	Wheatear ♂, Scotland, 1912; ditto ♀, 23.9.04; ditto ♀,	37 Juns
	,	no data; ditto ♀, pied var., Suffolk, Aug. 1904 4	7. 2. mile for
	171	Robin 3, var. white primaries left wing, 27.12.1895;	
	,	ditto 3, var. white tail feathers, 29.1.04; ditto 3,	11/70
		var. white primaries both wings, 13.1.1912; ditto ♀,	
		var. white primaries left wing, Calke, April 19, 1888 4	
	172	Robin \(\text{, var. pale pied, red replaced with cream, Calke } \)	Paris 1
	,	Abbey, 3.4.1913; ditto ♀. var. buff and cream, breast	1
		normal; ditto 3, var. primaries left wing white, Calke	
700	1	Abbey, 15.12.02.	
11/2/-	-(173)	Robin, var. young, lemon-yellow and white; White-	
47 1	The same of the sa	throat \(\text{, young, albino, July 30, 1880} \); Willow Warbler,	
		white var. (damaged)	
	174	Nightingale, normal; Reed Warbler, albino 3, Crumbles,	1 1,209
	the second of the second	Eastbourne, 12.10.1920; Sedge Warbler, var. pale	seyrrays.
		buff and cream 3	town.
	175	Reed Warbler, albino, Ireland; Garden Warbler 3, 9,	-2 4
		3.6.1895	Di de Sha
	176	Hedge Sparrow \(\var. \) pale buffish-grey wings and tail,	- 1 2 7 3 1 2 2 1 4 3 2 1 1
	,	latter slightly barred, Barton, Norfolk, 18.2.1903;	01
		ditto, pied var., mottled light tawny and white,	Of-
		secondaries partly brown, Calke, Dec. 1899 2	
	177	Hedge Sparrow, handsome pied var.; Shetland Wren,	111
	-//	T. Zellandicus, \mathcal{L} , Burravoe, Shetland, 25.1.13	10/
	178	Hedge Sparrow, albino	24-6000
1011	401-170	Ditto, ditto; Pied Flycatcher 3	**
1 / 121 /	11/9	Ditto, ditto, fied flycatellel o	

180	Hedge Sparrow \mathcal{P} , var. rich cinnamon, tail and ends of
	wings cream colour, Calke Abbey, 8.1.1895
181	Black Redstart 3, 2, Calke, 25.10.1907
182	Shetland Wren 3, Scalloway, Shetland, 11.2.1913; ditto \mathcal{D} ,
	Burravoe, Shetland, 25.1.1913; Reed Warbler 3,
	28.9.97; Black Redstart 3, 3
183	Hedge Sparrow Q, var. cinnamon and white, grey patch
	side of head, Barton Fen, Norfolk, 25.10.1895
184	Nightingale 3, var. cinnamon, ends of wings whitish,
	May 1905, Castleacre, Norfolk; Pied Flycatcher ♂, ♀, ≪
	Clay, Norfolk, Sept. 1893
185	Pied Flycatcher &, Calke, May 2, 1911; Gold-crest &,
	Calke, 14.11.06; Fire-crest 3, near Norwich, 29.11.1879
-06	6-11
186	Gold-crest 3, var. white, back and wings pale lemon,
	crest normal, beautiful and rare var., "Hutchinson,
T 8 17	Nov. 1899" Fire crost 10: Pied Flycatcher: Black cap 1
18.7	Fire-crest 3, \(\varphi \); Pied Flycatcher; Black-cap 3
189	Winchat \mathcal{D} , pied var., wings mostly white; Pied Fly-
	catcher, May 1902, Staffs.; Wood Warbler 3
190	Hedge Sparrow \mathcal{D} , var. pied, primaries right wing, flanks,
	throat and belly white, 5.10.08; Stonechat, var. pied,
	back black, rump white; Red-breasted Flycatcher,
	left side damaged, Brighton 3
191	Hedge Sparrow, var. mostly white, right side damaged;
	Stonechat 3, 9; Long-tailed Tit, var. white head 4
192	Bearded Reedling 3, 2, Hickling, Norfolk, Nov. 1886;
	ditto 3, 3
193	Coal Tit \mathcal{D} , var. pied, Norwich, Sept. 4, 1890; Hedge
	Sparrow, albino, right side damaged; Sedge Warbler;
	Corn Bunting, var. young, right wing damaged 4
194	Great Tit, var. forehead, throat and breast stripe pearl-
	grey, wings and tail white, mantle and under parts
	lemon-yellow, remarkable and rare
195	Blue Tit, var. wings pearl-grey, all the normal blue
	replaced by pale lavender
196	Grasshopper Warbler, var. pied grey
197	Wren, albino, tinged with lemon all over
198	Thrush, young, var. silver-grey, breast pale buff; Hedge
	Sparrow, albino, badly set up

	199	Pine-grosbeak \mathcal{D} , \mathcal{J} , shot Feb. 2, 1917, Ashburnham Park, \mathcal{D}
	- 99	Sussex 2
	200	Ditto 3, 3, St. Neots, Huntingdon, 29 Jan., 1888 2
	201	Two-barred Crossbill 3, 2
	202	Crossbill 3, 2, Chesin, nr. Derby, 4.3.1895 (3)
	203	Ditto 3, 3, 9, 9, March 14, 1910
	204	Ditto 3, 9, Chesin, nr. Derby, 20.2.1895
	205	Swift, pied var. white pectoral band, scapulars and rump
		blotched with white, June 1903, from Jefferies, Tenby
	206	Sand Martin, var. buffish-white, pectoral band pale drab
	207	Ditto, var. pale silver-grey, secondaries, scapulars and
		rump margined with orange-buff, Saxmundham, July
	· _	24, 1880
	208	Ditto, pied var. wings and tail mostly white
Dalla.	209,	Ditto, var. pale grey-buff
	210	House Martin 3, handsome white var. mantle wings and
		tail pied, 29.7.1896
	211	Ditto 3, var. white, secondaries only slightly streaked
	0.7.0	with black, Calke Abbey, 1897
	212	Ditto \mathcal{L} , var. pale ashy-grey replacing normal black,
	613	Norwich, July 7, 1913
	21	Ditto, var. pale greyish-buff, Calke Abbey, 1889 Ditto, var. albino
	015	Ditto, var. similar to lot 213, Calke Abbey, 1889
	216	Sand Martin, var. albino
\$	217	House Martin, var. outer primaries each wing white;
	21/	Swallow, var. pale ashy-grey, wings and tail pearl-
		white, throat buff, Nov. 1889
	218	Swallow, var. all normal colouring replaced by ashy-grey,
		25.9.96
	219	Ditto, var. whole of under surface chestnut, also tail spots, Frank
		April 27, 1917, St. Leonards
	220	Ditto, var. 2, very pale greyish-cinnamon, 19.8.93, Calke
773		Abbey
100	221	Ditto, var. ashy-grey above, pale buff below
() V / V	(222)	Bee-eater, two specimens 2
	223	Nuthatch \mathcal{L} , malformed bill, Wells, Norfolk, Oct. 1896;
		Dipper \mathcal{L} , immature, Yorkshire
	224	Dipper 3, ad. 29.1.1861; ditto 3, ad. Dunbar, summer,
	205	1854 Lesser Croy Shrike A O Success Total Crost Croy Shrike
	225)	Lesser Grey Shrike 3, 9 Sussex 1921; Great Grey Shrike,
		Winchester, 16.1.1917

226	Chaffinch, var. cinnamon, wings mostly cream colour, flank left side damaged; ditto, var. pale-grey, back
	lemon, wings white, right wing damaged, 24.1.1895;
227	ditto, var. pied, mostly white Ditto 3, var. pale cinnamon all over, fine specimen,
22/	Norwich, Sept. 10, 1891
228	Ditto, var. head, wings and tail silver-grey, back lemon;
220	ditto \mathcal{D} , var. grey, Calke, 1894
229	Ditto, var. chestnut replacing white on wings, also chest- nut head, left side damaged; ditto, var. albino, July 22,
	1903 2
230	Ditto, of var., white head, Calke, 19.12.1910
231	House Sparrow, albino; ditto \mathcal{D} , var. forehead white;
232	ditto \bigcirc , var. crown silver-grey, bill cream colour 3 House Sparrow \bigcirc , var. wings and tail variegated white;
-3-	ditto 3, pied var., Calke, 21.8.93; ditto \(\varphi\), wings mostly
	white, Calke, 7.12.05
233	House Sparrow 3, almost melanic var., Calke; ditto, albino
234	albino 2 Ditto ♀, fine melanic specimen, 11.1.94, Calke 1
235	House Sparrow 3, 3, 2, three very dark vars., one almost
233	melanic; ditto \mathcal{L} , var. pale, head rich buff, Winchelsea,
	2.6.17
236	Tree Sparrow 3, var. cinnamon, nr. Norwich, 22.1.92;
004	ditto 3, pied var.
237	Greenfinch, var. pale pearl-grey and lemon-yellow; ditto ♀, albino, 20.9.94
238	Ditto, albino, fine specimen, rich lemon-yellow and white,
	14 Oct., 1889
239	Bullfinch, albino, Aug. 14, 1901
240	Goldfinch, white var., wings rich yellow streaked with
syndy oligan.	black, tail black and white, face slightly reddish, very handsome bird; ditto, melanic var., Radford, 9.1.95 2
241	Starling, var. cream and white, head ashy-grey, back and
- 1-	wings banded with ashy-grey; ditto, young, rump and
	tail white, 14.9.1904
242	Ditto, var. pearl-white all over, wings finely edged and
0.42	speckled with chestnut Ditto, var. buff and white wings and tail, rest of upper
243	parts light bronze, shot by Sir V. H. C.

1		
	(244)	Starling, var. pure white, 28.7.09
	245	Ditto, var. pale brownish-ash, wings and tail whitish;
	10	ditto, var. centre tail feathers white, 16.10.05
	246	Ditto, var. handsome silver-grey wings, tail and rump
		white, finely dusted with grey
	247	Ditto, var. head and breast drab, back wings and tail
		buff and white; ditto, var. \mathcal{Q} , tail pied, 20.5.93
	248	Ditto, var. 2 cream, wings and tail buff, Swaffham,
		I6.8.79
	(249)	Ditto, var. white rump, 2.8.05, Calke Abbey; ditto,
1		var. young, upper parts ashy-grey, finely barred 2
44	250	Ditto, var. 3, pure white ends of tail damaged, 22.1.04;
	251	ditto, var. pale silver-grey, buff and white 2 Starling, var. brown and buff, with white throat, Chelten-
	231	ham, Oct. 1903; ditto, var. grey-black head, back
		sooty-brown, wings and tail dull white, June 14, 1910 2
	252	Starling, var. pure white, tail frayed, Calke; ditto, var.
		pied, buff, grey and white, 28.7.1919
	253	Rose-coloured Starling, two fine specimens
	254	House Sparrow Q, var. under mandible remarkably
		malformed, 2in. long, melanic variety
	255	Tree Sparrow ♂, Calke Abbey, 6.3.91; ditto ♀, var. white
		in wings, Norwich, 14.1.85; House Sparrow 3, mal-
	056	formed bill; ditto \(\sigma\), slightly pied 4
	256	Brambling 3, var. pale head, yellow rump, Clay, Norfolk, 9.1.07; ditto 3, 3, 27.3.06, \$\varphi\$; House Sparrow, pied
		back 5, 3, 27.5.00, ‡, 1100sc Sparrow, pied
	257	Chaffinch, var. beautifully pied and variegated, mostly
	-37	white; Brambling 3, var. chin black and grey, Nor-
		wich, 16.1.95; ditto 3, 3, normal 4
	258	Hawfinch \circ , white var., Calke Abbey, 28.2.1896, very
	3	rare; ditto 3, 3, 14.12.09, Calke 3
	259	Hawfinch &, var. white, head pied, nr. Norwich, 16.12.
	3,	1890; ditto 3, 3
	260	Goldfinch &, var. pale grey-buff, Eastbourne, 9.10.1917;
		ditto 3, var. white chin, Norwich, Jan. 1898 2
	261	Goldfinch 3, melanic var. and hybrid, very rare (on label),
		Norwich, July 17, 1888; ditto, var. pale cinnamon,
		tail damaged; ditto 3, var. chin white, Norwich,
		Jan. 1890
	262	Serin Finch & Rottingdean 5 II 03

263	Citril Finch \mathcal{D} , taken on Caistor Denes, nr. Yarmouth, Jan. 29, 1904; Hybrid \mathcal{D} , "supposed hybrid between Citron Finch and Canary 17 5 02 Calke Abbey"	The sall
264	Citron Finch and Canary, 17.5.92, Calke Abbey '2 Creeper (Australian species), "This bird was killed by Turner's father-in-law, Maynard, who hunted the Queen's Beagles 45 years ago. It was killed on Mr. Watson Taylor's estate at Erlestoke, nr. Devizes, Wilts. Restuffed and new case March 1907. T. E. Gunn," statement on case	En.
265	Greenfinch, var. pale buff, Heelesdon, nr. Norwich, 27.1.85; House Sparrow ♀, white tail, Calke, 15.10.1912	14/-
266	Greenfinch \mathcal{D} , var. pale buff, Norwich, 22.12.1884; House Sparrow \mathcal{D} , white in tail and wing, Calke, 22.2.99 2	
267	Case containing Larks, with data on back: "White Skylark, Sussex. Skylark, near Cambridge 1860. Woodlark, Welchpool, Wales, 1841. Crested Lark, shot in Sussex and is the specimen figured in Yarrell's British Birds. Shore Lark caught near Brighton, Nov. 15, 1861 and kept for 20 months in aviary, see Ibis 1862, p. 86. These birds are from F. Bond's collection which I bought. J. Whitaker" 5 specimens	4.
268	Roller, in case, very old and undoubtedly British	
260	Waxwings, in glass shade	361
270	Robins, two young white vars., in shade	
27I	Starling, var. light silver-grey, in shade	and a
272	Ruby-crowned Wren, "Shot at T. G. Perry's, Highnam Court, nr. Gloucester, by Mr. Spring, gamekeeper, Sept. 21, 1811"	3/-/-
273)	Case containing White Snipe and two Chaffinch vars., one almost white, one pied	
274	Snipe, var. buff coloured	
275	Case containing: Sand Martin &, Kingsbury, Middlesex; Sand Martin, white var., Norfolk; American Purple Martin &, Kingsbury Reservoir, 1842, vide Yarrell's Brit. Birds, 1st ed., vol. 2, p. 232; White-bellied Swift, Chobham, Surrey, Oct. 1841, from Mr. Wheeler's collection; Common Swift, Kingsbury 5 specimens	thist.
276	Case containing four Hawfinches, one pied var. and two Greenfinches ♂, ♀	
277	Shade containing White Robin, and one normal ditto	6 Pin
278	Shade containing Blue-throat	1

	279	Case containing Sparrowhawk Q, var. upper parts pearl-
	280	grey, under parts entirely white
11/	200	Case containing pair of Storm Petrels and nestling; ditto Linnet, white var. wings and tail pied 2
	281	Case containing Stonechat, var. cinnamon and white;
		ditto Goldfinch mule
	282	Case containing Wheatear, var. cinnamon and grey;
		ditto Robin, var. white and buff 2 1/4
	283	Case containing four beautiful Redwings, vars. one
		silver-grey, all markings faintly indicated, Gloucester-
		shire; one cream, white, and buff, fine variegated var.;
		one handsome pied var., Co. Clare, Nov. 1905; one
	0	fine cinnamon, var. Gloucestershire
	284	Case containing Red Grouse, var. 3, cinnamon, wings
	~ ° ~	mostly white, Yorkshire
	285 '	Case containing Eastern Golden Plover (Charadrius fulvus),
		shot on the Thames by H. Nunn, Aug. 6, 1896 (Zoologist, 1897, p. 330)
	286	Case containing Solitary Snipe; ditto Hawfinch and
	200	Dartford Warbler; ditto Red-necked Phalaropes 3
	287	Case containing Fieldfare, pied var.
	288	Guillemot, mandibles crossed, picked up alive, Yarmouth
		beach, June 1881
	289	Whiskered Tern, "Killed by J. L. Leg, Esq. at Barrow-
		on-Trent some few years ago and presented to me by
		him, now in my possession at Calke Abbey "
	290	Case containing Glossy Ibis, Sutton, Norfolk, Sept. 13,
		1868, B. S. Silcock
	291	Green-backed Gallinule, bought at Rev. Micklethwaites'
	202	sale, set up in shade [Cull supposed by brid between Common Cull and Black
	292	Gull, supposed hybrid between Common Gull and Black- headed Gull, killed near Pevensey, set up in case
	293	Puffin, pied var., mostly white, head, neck and rump
	The most of	spotted, secondaries and coverts mostly black, primaries
		white, St. Kilda, 1895, set up in case
	294	Sooty Tern
	295	Golden-eye, shot on Trent, June 1895; Turnstone, breed-
		ing plumage, set up in shade
	296	Woodcock, cinnamon var.
	297	Scoter, American form of Common Scoter, killed nr. Rye,
	-7/	Tota

t	298	Flamingo, North Staffordshire, September 1881, vide	?:
		Yarrell's British Birds, 4th edition, vol. IV., p. 246;	The same
	299	also Saunders' Manual, 1889, p. 383, set up in case Black Stork, killed in Stour Valley, Stoke, Suffolk, 1881, set up in case	# " #
	300	Whimbrel, white var., pearl-grey and buff markings, shot	3
		at Lough March, May 1915, set up in case	- Y
The state of the s	301	Case containing white Sand Martin, white Red-backed Shrike, and two normal R.B. Shrikes, ♂, ♀; ditto,	Traf
1		cream-coloured courser, 21.8.87	√
	302	Starling, var. cream coloured Case containing Woodcook war under parts entirely rich	
	303	Case containing Woodcock, var. under parts entirely rich rufous-buff without markings, Orkney, Feb. 1915	
	304	Case containing Corn Bunting, var. cream and white I	
	305	Case containing Andalucean Hemipode, taken alive at	
		Fartown, nr. Huddersfield, April 7, 1865; bought of	
		two Irishmen, who thought it was a young partridge,	100
		for 6d. by S. D. Mosley of Huddersfield; vide quotation	6
	306	from Goulds' Birds of Britain on back of case I Woodcook war wings and toil cinnamon with pole ashy	7
	300	Woodcock, var. wings and tail cinnamon with pale ashy- grey markings, lower parts pale, upper parts hand- somely variegated	24/
	307	Ditto, var. rich cinnamon and rufous, "From Williams,	030
	5 /	Dublin ''	1
	308	Lapwing, var. white, head pectoral band, primaries and tail bronze-buff	12
	309	Lapwing, var. upper parts white mottled with pale drab, wings brown, head and breast bronze-brown; Snipe, var. buff, 1899, from J. Cooke, Shrewsbury 2	4/-
	310	Snipe, var. pale buff and grey, from Williams, Dublin; and two normal specimens	
)	311	Ditto, albino, Norfolk, June 1913; and two normal specimens	
	312	Solitary Snipe, var. cream and buff, Cambridgeshire, 1904; Common Snipe, fine specimen, richly and heavily marked, light markings reduced, Sept. 1901 2	
	313	Curlew Sandpiper, two—one breeding plumage, one starting change to breeding plumage; Lapwing, var. upper parts greyish-buff 3	14/2
	314	Dotterell, two fine specimens, 20.5.1902; Spotted Redshank, 22.5.99	28 -

315	Golden Plover 3, and 4 nestlings, Ashbourne, Derby, 24.5.1888
316	Lapwing, var. four outer primaries and coverts white; Spotted Redshank ♀, shot by Sir V. H. C. at Tayford- on-Trent, Derby, 18.9.1916
318	Woodcock, var. cinnamon, Queens Co., Jan. 1910 I
319	Moorhen ♀, ad. pied var., Norwich, Dec. 5, 1885
(320)	Ruff 3, white ruff; ditto 3, ad., Aug. 31, 1885; ditto 9, ad.
321	Ruff 3, breeding plumage; ditto 3, var. pied, head, neck, back and under parts white; ditto 3, autumn plumage, 16.8.05
322	Ruff 3, pied var. autumn plumage; ditto 3, breeding plumage; ditto 3, just starting breeding plumage, 1964, 9.4.1888
323	Ruff 3, breeding plumage; ditto 3, autumn plumage; Whimbrel, small bill, barely $2\frac{1}{2}$ in. long, Lynn, Oct. 1885
324	Greenshank \(\text{Q}, \text{ Calke Abbey, 29.8.87} \); ditto \(\text{Q}, \text{ Aug. 20, } \) 1888; Dotterell, Nov. 15, 1906
325	Knot ♂, breeding plumage, June; ditto ♀, Calke Abbey, 13.9.87; ditto ♂, 26.2.97; Dotterell ♂, 1909 4
326	Whimbrel 3, Calke, 1890; Curlew, pied var.; ditto 3, Warslow, Staffs., 6.5.93
327	Curlew Sandpiper, breeding plumage; Knot, breeding plumage; Oystercatcher 3, var. white collar; Golden Plover \(\rightarrow, Calke, 10.4.94
328	Woodcock, 4 nestlings; 2 Spotted Crakes 3, Calke, 27.10.1888
329	Spotted Crake 3, 4.3.86, Calke; ditto; Black-tailed Godwit, breeding plumage; ditto
330	Caspian Plover, Romney Marsh, Oct. 1911; Golden Plover 9 , 1903; ditto 9 , 1893; ditto 9 , full breeding plumage, 10.4.94
331	Little Bustard, Caistor, nr. Yarmouth, Sept. 1878; Spotted Crake
332	Garganey ♂,; Pochard ♀, 19.1.93, Calke Abbey; Tufted Duck ♀, Calke, 30.3.85
333	Scoup 3, Calke Abbey, 6.1.91; ditto 3, immature, Calke Abbey, 6.1.91; Garganey 3
334	Paget's Pochard 3, shot by Major Edwards at Hardingham; ditto 2, shot at same time and place 224

335	Widgeon 3, Calke, 15.2.89; Harlequin 3; Widgeon 4,	
226	var. cream and buffish-grey 3.	
336	Hybrid Pochard and Tufted Duck 3, 24.1.08, Calke Pond;	
ex .	Tufted Duck & Calke, 6.1.91; Ferruginous Duck &	
	Barton, Norfolk, 1897	
337	Mallard 3, pale var., head mole colour, upper parts silvery,	
	speculum buff and grey, tail white; Pintail 2, 29.12.	
200	1900; Common Scoter Q, 21.5.1912 3	
338	Teal &; Shoveller &, 13.3.13; ditto &, 24.12.95 3	
339	Red-necked Phalarope, two specimens; Grey Phalarope,	
2.40	two—one winter, one summer, 1903 4	
340	Wilson's Phalarope Q, Scalloway, Shetlands, to June,	
	1911, end of lower mandible missing, otherwise perfect	
247	Pad neekad Phalarana A Aldharaugh Oct to 1881:	
341	Red-necked Phalarope 3, Aldborough, Oct. 19, 1881; Grey Phalarope 4, breeding plumage, Dungeness,	
	4.5.1906; ditto 3, winter plumage; Baillon's Crake,	
	Sandhurst, Kent, Sept. 6, 1919; Little Crake, Christ-	
	church some and the second some some 5	
342	Great Crested Grebe \mathcal{P} , var. albinistic form, crest and	
JT"	tippet light drab, upper parts mottled buff and cream,	
	Calke, 1913; ditto 3, normal, May 29, 1905	
343	Red-necked Grebe, ad. and immature, two species;	
0 10	Eared Grebe, Aldborough, Suffolk, April, 1890	
344	Scalvonian Grebe 3, breeding plumage; 3 winter and	
	♀ winter the second of the se	
345	Puffin, pied var., all white except part of wings and tail,	
	and few black speckles on head; ditto, normal specimen	
Co over	$oldsymbol{2}$	
346	Little Auk 3, Calke Park, 7.2.1912; Puffin, var. ad.	
Andrew Parkets	upper parts blotched with grey, shoulders and 3 pri-	
	maries right wing white	
347.		
	Jan. 1895; ditto, Derby; ditto, summer plumage,	
0	badly mounted, old specimen 3	
348	Puffin, beautiful pied var., upper parts uniformly blotched	
	with white, head mostly white; Scalvonian Grebe, winter plumage	
2:40	winter plumage 2	
349	Puffin, pied var., back mottled with white; ditto, im-	
250	mature, Calke Guillemot, var. pale greyish-drab, primaries white and	
350	coverts mottled white; Black Guillemot 2	
	covorts morning white, Diagn cumulion,	

	351	Calke, 18.12.90; ditto, 2.12.90
	352	Sooty Shearwater; Long-tailed Skua 3, var. each wing with white carpal patch, Blakeney Harbour, 10.9.1900
	353	Long-tailed Skua, ad.; White-winged Black Tern, two
	354	specimens; Sooty Tern ♀ 4 Dusky Shearwater, Cornwall, March 1914; Black Tern ♂, Calke, 4.5.89; ditto 3
	355	Long-tailed Skua; Sooty Tern, 10 April, 1915, St. Leonards
73	356	Bonaparte's Gull ♀, summer plumage, Pevensey, 20.4.14; Long-tailed Skua
121) 701	357	Arctic Skua 3, Faroe Is., 11.7.73, Saunders coll.; Mediterranean Black-headed Gull, ad. in full summer plum-
	358	Mediterranean Black-headed Gull, immature, Nov. 1923; Great Shearwater, ad.
A) 111-	359	Great Shearwater; Long-tailed Skua, Oct. 16, 1901 2 Black-headed Gull &, Calke, 21.12.1893; Mediterranean Black-headed Gull, summer plumage 2
	361	Noddy Tern, caught under cliff at Fairlight, nr. Hastings, 21.10.1914; Manx Shearwater
	362	Kittiwake 3, Calke, 23.2.1903; Gull-billed Tern, Yarmouth
	363 364	Sabine's Gull, immature; Kittiwake, ditto 2 Ivory Gull, ad. "Filey Brigg," Dec. 1917; Kittiwake, ad.
	365	Bonaparte's Gull, summer, Pevensey; Black-headed Gull, immature
	366	Little Gull, ad. breeding plumage, Sussex coast; Blackheaded Gull, Norwich, Jan. 3.87
	367	Gull-billed Tern, near Clifton, Somerset, Feb. 1911; Manx Shearwater, ad. and young bird, lower parts mottled with ashy-brown, 11.10.99
	368	Slender-billed Gull, ad. nr. St. Leonards, 26.1.1914; Common Gull, almost adult
	369	Bonaparte's Gull, ad. winter; Common Gull (American form), upper parts grey-brown margins of feathers, light buff apical, half tail dusky, breast and flanks
		mottled grey-brown, Sept. 1903, shot at North Seafield, Sussex

370	Long-tailed Duck 3, 18.1.86, "Eynhallow Sound";
	ditto; Golden-eye & ad., Feb. 1911, Farne Is. 3
371	Buffle-headed Duck 3, 9, Orkneys, Dec. 1918 2
372	Ferruginous Duck J, Gloucester, April 1901; Pochard J,
	mottled breast, 11.11.1915; Common Scoter 3
373	Fulmar & ad., St. Kilda, 1905; Arctic Skua &, var. pied
	on shoulders, Nov. 8, 1876, Wells
374	Fulmar, Great Skua, Stromness, June 27, 1912

END OF SALE.

SALE ANNOUNCEMENT.

The remaining portion of the Collection of Varieties of

BRITISH BUTTERFLIES AND MOTHS,

will be sold

On TUESDAY, NOVEMBER 24th, 1925.

STEVENS'S AUCTION ROOMS LTD.

ESTABLISHED 1760.

Important to Trustees, Executors and others.

Sales regularly held at these Rooms:

SCIENTIFIC, ELECTRICAL AND PHOTOGRAPHIC APPARATUS AND MISCELLANIES.

EVERY FRIDAY a Sale is held which includes Microscopes, Telescopes, Cameras, Lenses, Lanterns, Cinematographs, Theodolites and Levels, and every class of Scientific Instrument; Lathes and Tools, Furniture, Silver Plate, Jewellery, Fishing Tackle, and Sporting Requisites.

CURIOS, CHINA, BRONZES,

ARMS AND ARMOUR, IVORIES,

ETHNOGRAPHICAL SPECIMENS, etc.

A Sale is held on TUESDAYS, twice in every month.

NATURAL HISTORY SPECIMENS.

MONTHLY Sales of Collections relating to Entomology, Ornithology, Conchology, Minerals, Heads and Horns, Cabinets, etc.

BOOKS.

Frequent Sales of Libraries relating to Natural History and kindred subjects.

Sales undertaken in Town and Country. Valuations for Probate and other purposes. Collections catalogued and arranged for sale.

Auction Rooms and Offices:

38 King Street, Covent Garden, & 15/16 Floral Street,

Telegrams:—
Auks, Rand, London, "London, W.C. 2.

Telephone:—
Gerrard 1824.



